

Page 1/9

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.05.2024

Version number 25 (replaces version 24)

Revision: 24.04.2024

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
· Trade name	Muraplast FK 63.10
<ul> <li>Article number:</li> <li>1.2 Relevant identified uses of the substance or mixture</li> </ul>	1738
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Concrete/Mortar admixtures
• 1.3 Details of the supplier of t	he safety data sheet         MC-Bauchemie Müller GmbH & Co. KG         Am Kruppwald 1-8         D-46238 Bottrop         Tel.: +49(0)2041-101-0         Fax.: +49(0)2041-101-400         E-Mail: info@mc-bauchemie.de         MC-Bauchemie AG         Hagackerstr. 10         CH-8953 Dietikon         Tel.: +44-7400510         Fax : +44-7400533
<ul> <li>Informing department:</li> <li>1.4 Emergency telephone number:</li> </ul>	msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

#### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

· Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

Hazard pictograms



· Signal word

· Hazard-determining

components of labelling:

Hazard statements
 Precautionary statements

2-octyl-2H-isothiazol-3-one H317 May cause an allergic skin reaction.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)

IF



Page 2/9

### **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.05.2024

Version number 25 (replaces version 24)

Revision: 24.04.2024

Trade name Muraplast FK 63.10

	P280	(Contd. of page 1) Wear protective gloves.
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P333+P313	If skin irritation or rash occurs: Get medical advice/ attention.
	P321	Specific treatment (see on this label).
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
<ul> <li>Additional information:</li> </ul>	Contains bio	ocidal products: 2-octyl-2H-isothiazol-3-one
· 2.3 Other hazards		, , , , , , , , , , , , , , , , , , , ,
<ul> <li>Results of PBT and vPvB at</li> </ul>	ssessment	
· PBT:	Not applicat	ble.
· vPvB:	Not applicat	ble.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

Description:				
<ul> <li>Dangerous compor</li> </ul>	nents:			
	2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: $C \ge$ 0.0015 %			

#### SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information	No special measures required.
<ul> <li>After inhalation</li> </ul>	Supply fresh air.
<ul> <li>After skin contact</li> </ul>	The product is not skin irritating.
<ul> <li>After eye contact</li> </ul>	Rinse opened eye for several minutes under running water.
<ul> <li>After swallowing</li> </ul>	Rinse out mouth and then drink plenty of water.
	Seek medical treatment.

## SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents Use fire fighting measures that suit the environment.

(Contd. on page 3)

IE



Page 3/9

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.05.2024

Version number 25 (replaces version 24)

Revision: 24.04.2024

(Contd. of page 2)

#### Trade name Muraplast FK 63.10

 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

• 5.3 Advice for firefighters

· Protective equipment:

No special measures required.

#### **SECTION 6: Accidental release measures**

<ul> <li>6.1 Personal precautions, protective equipment and</li> </ul>	
	Notroquirod
emergency procedures	Not required.
6.2 Environmental	
precautions:	Dilute with m
• 6.3 Methods and material for	

nuch water.

- containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections
- No dangerous materials are released.

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special measures required. · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by
- storerooms and containers: No special requirements. · Information about storage in
- one common storage facility: Not required. · Further information about
- storage conditions: None. Storage class 12

#### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters · Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. · Additional information: The lists that were valid during the compilation were used as basis. (Contd. on page 4)



Page 4/9

## **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.05.2024

Version number 25 (replaces version 24)

Revision: 24.04.2024

Trade name Muraplast FK 63.10

	(Contd. of page 3)
<ul> <li>8.2 Exposure controls</li> <li>Appropriate engineering</li> </ul>	
controls	No further data; see section 7.
<ul> <li>Individual protection measur</li> </ul>	es, such as personal protective equipment
<ul> <li>General protective and</li> </ul>	
hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals.
· Breathing equipment:	Not required.
Hand protection	Protective gloves.
Material of gloves	Natural rubber, NR
	Nitrile rubber, NBR
Penetration time of glove	
material	Breakthrough time: > = 480 min
	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
· Eye/face protection	Not required.
Body protection:	Light weight protective clothing

9.1 Information on basic physical and	chemical properties	
General Information		
Colour:	Brown	
Smell:	Characteristic	
Melting point/freezing point:	<0 °C	
Boiling point or initial boiling point and		
boiling range	100 °C	
Flash point:	Not applicable	
pH at 20 °C	4	
Viscosity:		
Kinematic viscosity	Not determined.	
dynamic at 20 °C:	<100 mPas	
Solubility		
Water:	Fully miscible	
Steam pressure at 20 °C:	23 hPa	
Density and/or relative density		
Density at 20 °C	1.02 g/cm³	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of	health	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	



### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.05.2024

Version number 25 (replaces version 24)

Revision: 24.04.2024

Trade name Muraplast FK 63.10

		(Contd. of pag
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

### SECTION 10: Stability and reactivity

<ul> <li>10.1 Reactivity</li> <li>10.2 Chemical stability</li> <li>Thermal decomposition /</li> </ul>	No further relevant information available.
conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used according to specifications.
reactions	No dangerous reactions known
<ul> <li>10.4 Conditions to avoid</li> </ul>	No further relevant information available.
<ul> <li>10.5 Incompatible materials:</li> <li>10.6 Hazardous</li> </ul>	No further relevant information available.
decomposition products:	No dangerous decomposition products known

### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:		
CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one		
Oral	LD50	125 mg/kg (ATE)
		500 mg/kg (rat)
Dermal	LD50	311 mg/kg (ATE)
		(Contd. on page 6)

Page 5/9



Page 6/9

## **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.05.2024

Version number 25 (replaces version 24)

Revision: 24.04.2024

#### Trade name Muraplast FK 63.10

			(Contd. of page 5
>2000		>2000 mg/	/kg (rat)
Inhalative	LC50/4 h	0.27 mg/l (	(ATE)
		0.6 mg/l (r	at)
· Skin corro · Serious e			Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
Respirato			
sensitisat	tion		May cause an allergic skin reaction.
· Germ cell	mutagen	icity	Based on available data, the classification criteria are not met.
· Carcinoge	enicity		Based on available data, the classification criteria are not met.
Reproduc	tive toxic	ity	Based on available data, the classification criteria are not met.
STOT-sin	gle expos	ure	Based on available data, the classification criteria are not met.
STOT-rep	eated exp	osure	Based on available data, the classification criteria are not met.
· Aspiration hazard			Based on available data, the classification criteria are not met.
• 11.2 Infor	mation on	other haz	ards
· Endocrine	e disruptiı	ng properti	ies
None of th	e ingredie	nts is listed.	

# SECTION 12: Ecological information

· 12.1 Toxicity

• • • •			
· Aquatic toxicity:			
CAS: 26530-20-1 2-octyl-2H-i	sothiazol-3-one		
EC50/48h 0.42 mg/l (Daphnier	ז)		
12.2 Persistence and			
degradability	No further relevant information available.		
· 12.3 Bioaccumulative			
potential	No further relevant information available.		
<sup>•</sup> 12.4 Mobility in soil	No further relevant information available.		
12.5 Results of PBT and vPv	B assessment		
· PBT:	Not applicable.		
· vPvB:	Not applicable.		
<ul> <li>12.6 Endocrine disrupting</li> </ul>			
properties	The product does not contain substances with endocrine disrupting properties.		
<ul> <li>12.7 Other adverse effects</li> </ul>			
Additional ecological information:			
· General notes:	Do not allow product to reach ground water, water bodies or sewage system.		
	Danger to drinking water if even small quantities leak into soil.		

(Contd. on page 7)



Page 7/9

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.05.2024

· Recommendation

Version number 25 (replaces version 24)

Revision: 24.04.2024

Trade name Muraplast FK 63.10

(Contd. of page 6)

## SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. · European waste catalogue

-	-	
17 00 00	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL	
	FROM CONTAMINATED SITES)	
17 09 00	other construction and demolition wastes	
17 09 03*	other construction and demolition wastes (including mixed wastes) containing	
	hazardous substances	

- 15 00 00 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
- 15 01 00 packaging (including separately collected municipal packaging waste)
- 15 01 01 paper and cardboard packaging
  - 15 00 00 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
- 15 01 00 packaging (including separately collected municipal packaging waste)

15 01 02 plastic packaging

· Uncleaned packagings:

agent:

- · Recommendation: Disposal must be made according to official regulations. · Recommended cleaning
  - Water, if necessary with cleaning agent.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	



Page 8/9

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.05.2024

Version number 25 (replaces version 24)

Revision: 24.04.2024

Trade name Muraplast FK 63.10

	(Contd. of page 7)
<ul> <li>14.7 Maritime transport in bulk accordin IMO instruments</li> </ul>	ng to Not applicable.
• Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

#### **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/	
legislation specific for the substance or mixture • REGULATION (EC) No	No further relevant information available.
1907/2006 ANNEX XVII	Conditions of restriction: 3
• DIRECTIVE 2011/65/EU on the electrical and electronic equip	e restriction of the use of certain hazardous substances in oment – Annex II
None of the ingredients is listed	·
· REGULATION (EU) 2019/1148	
• Annex I - RESTRICTED EXPL licensing under Article 5(3))	OSIVES PRECURSORS (Upper limit value for the purpose of
None of the ingredients is listed	
· Annex II - REPORTABLE EXP	LOSIVES PRECURSORS
None of the ingredients is listed	
· Regulation (EC) No 273/2004	on drug precursors
None of the ingredients is listed	
Regulation (EC) No 111/2005 Community and third countri	laying down rules for the monitoring of trade between the es in drug precursors
None of the ingredients is listed	
<ul> <li>15.2 Chemical safety assessment:</li> </ul>	A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

· Relevant phrases

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
	(Contd. or

(Contd. on page 9)

IF



Page 9/9

## **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.05.2024

Version number 25 (replaces version 24)

Revision: 24.04.2024

#### Trade name Muraplast FK 63.10

	(Contd. of page
	H410 Very toxic to aquatic life with long lasting effects.
	EUH071 Corrosive to the respiratory tract.
· Department issuing data	
specification sheet:	Environment protection department.
Date of previous version:	17.10.2021
· Version number of previous	
version:	24
Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandis dangereuses par chemin de fer (Regulations Concerning the Internation Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses p
	route (European Agreement Concerning the International Carriage of Dangerou Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values
	Acute Tox. 3: Acute toxicity – Category 3
	Acute Tox. 2: Acute toxicity – Category 2
	Skin Corr. 1: Skin corrosion/irritation – Category 1
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Skin Sens. 1: Skin sensitisation – Category 1
	Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard
	Category 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
<sup>.</sup> * Data compared to the	
previous version altered.	